Geophysical Journal author index 1986

Abou-Dina, M.S. *see* Ashour, A.A.
Ahrens, T.J. *see* Bass, J.D.
Ahrens, T.J. *see* Boslough, M.B.
Aki, K. *see* Nowack, R.L.
Anderson, L.M. *see* Der, Z.A.
Anderson, O.L. Properties of iron at the Earth's core conditions, **84**, 561
Ansell, J., Aspinall, W., King, G., Westaway, R. The 1984 July 19 North Wales earthquake – a lower crustal continental event indicating brittle behaviour at an unusual depth, **84**, 201
Ansell, J.H., Gubbins, D. Anomalous high-frequency wave propagation from the Tonga–Kermadec seismic zone to New Zealand, **85**, 93
Arora, B.R. *see* Thaku, N.K.
Ascher, U., Spudich, P. A hybrid collocation method for calculating complete theoretical seismograms in vertically varying media, **86**, 19
Ashour, A.A., Hassan, F.M., Abou-Dina, M.S. The harmonic expansion of the scalor and vector potentials of a magnetic dipole, **86**, 263
Aspinall, W. *see* Ansell, J.
Auvray, B. *see* Perroud, H.
Avedik, F. *see* Whitmarsh, R.B.

Bache, T.C., Bratt, S.R., Bungum, H. High-frequency *P*-wave attenuation along five teleseismic paths from central Asia, **85**, 505
Backus, G.E., Le Mouel, J.-L. The region on the core–mantle boundary where a geostrophic velocity field can be determined from frozen-flux magnetic data, **85**, 617
Banks, R.J. The interpretation of the Northumberland Trough geomagnetic variation anomaly using two-dimensional current models, **87**, 595
Barraclough, D.R. *see* Quinn, J.M.
Barton, P.J. The relationship between seismic velocity and density in the continental crust – a useful constraint?, **87**, 195
Barzaghi, R. *see* Sansò, F.
Bass, J.D., Schmitt, D., Ahrens, T.J. Holographic *in situ* stress measurements, **85**, 13
Beamish, D. Deep crustal geoelectric structure beneath the Northumberland Basin, **84**, 619
Beamish, D. *see* Józwiak, W.
Beck, A.E. *see* Shen, P.Y.
Bergen, Z. *see* Wahr, J.
Bhattacharya, S.N. Extended formulation for Rayleigh-wave computations at high frequencies in a spherical layered earth, **84**, 311
Bingham, J. *see* Marshall, P.D.
Bloxham, J., Gubbins, D. Geomagnetic field analysis – IV. Testing the frozen-flux hypothesis, **84**, 139
Bloxham, J. The expulsion of magnetic flux form Earth's core, **87**, 669
Bolt, B.A., Drake, L.A. Love mode dispersion across subduction zones by finite element modelling, **84**, 515
Bonafede, M., Dragoni, M., Quareni, F. Displacement and stress fields produced by a centre of dilation and by a pressure source in a viscoelastic half-space: application to the study of ground deformation and seismic activity at Campi Flegrei, Italy, **87**, 455
Bonafede, M. *see* Dragoni, M.
Bond, L.J. *see* Hong, M.
Bonhommet, N. *see* Perroud, H.
Bonifay, E. *see* Creer, K.M.
Booker, J.R. *see* Egbert, G.D.
Booth, D.C., Crampin, S., Chesnokov, E.M., Krasnova, M.A. The effects of near-vertical parallel cracks on shear-wave polarizations, **87**, 583
Booth, D.C. *see* Crampin, S.
Boschi, E. *see* Dragoni, M.
Boslough, M.B., Ahrens, T.J., Mitchell, A.C. Shock temperatures in anorthite glass, **84**, 475
Boslough, M.B., Rigden, S.M., Ahrens, T.J. Hugoniot equation of state of anorthite glass and lunar anorthosite, **84**, 455
Boss, A.P., Sacks, I.S. High spatial resolution models of time-dependent, layered mantle convection, **87**, 241
Bratt, S.R. *see* Bache, T.C.
Briden, J.C., Turnell, H.B., Watts, D.R. Reappraisal of Scottish Ordovician palaeomagnetism: Reply to Storetvedt and Deutsch, **87**, 1207
Brooks, C. *see* Mereu, R.F.
Brown, G.M. The change in *Sq* (*H*) amplitude on Abnormal Quiet Days, **86**, 467
Brundrit, G.B. *see* de Cuevas, B.A.
Brysk, H., McCowan, D.W. Edge effects in cylindrical slant stacks, **87**, 801
Buchbinder, G.G.R. *see* Mereu, R.F.
Bungum, H. *see* Bache, T.C.
Burdick, L.J. *see* Burger, R.W.
Burger, R.W., Burdick, L.J., Lay, T. Estimating the relative yields of Novaya Zemlya tests by waveform intercorrelation, **87**, 775
Burnetti, J.A. *see* Lees, A.C.
Burton, P.W. *see* Mcbeth, C.D.
Butler, R.F. *see* Galbrun, B.
Bye, J.A.T. *see* Pariwono, J.I.

Calvert, A.J. *see* Potts, C.G.
Calvert, A.J. *see* Whitmarsh, R.B.
Carrion, P.M. *see* Foster, D.J.
Carter, W.E., Robertson, D.S., Pyle, T.E., Diamante, J. The application of geodetic radio interferometric surveying to the monitoring of sea-level, **87**, 3
Carton, J.A., Wahr, J.M. Modelling the pole tide and its effect on the Earth's rotation, **84**, 121
Cartwright, D.E. Sea-level variations, **87**, 1
Cartwright, D.E. *see* Woodworth, P.L.
Chapman, C.H. *see* Thomson, C.J.
Charvis, P. *see* Recq, M.
Chen, W.-P. *see* Huang, J.
Chen, Y.T., Knopoff, L. Static shear crack with a zone of slip-weakening, **87**, 1005
Chen, Y.T., Knopoff, L. The quasistatic extension of a shear crack in a viscoelastic medium, **87**, 1025
Chesnokov, E.M. *see* Booth, D.C.
Chesnokov, E.M. *see* Crampin, S.
Chin, R.C.Y., Hedstrom, G.W., Majda, G. Application of a correspondence principle to the free vibrations of some viscoelastic solids, **86**, 137
Chu, P.C. An instability theory of ice-air interaction for the migration of the marginal ice zone, **86**, 863
Clarke, T. *see* Thomson, C.
Clowes, R.M. *see* Davis, E.E.
Clowes, R. *see* Mereu, R.F.
Cochran, J.R. Variations in subsidence rates along intermediate and fast spreading mid-ocean ridges, **87**, 421
Coffin, M.F., Rabinowitz, P.D., Houtz, R.E. Crustal structure in the Western Somali Basin, **86**, 331
Coleman, R. *see* Lambeck, K.
Comer, R.P. Comments on: 'Thick-plate flexure re-examined' by Detlef Wolf, **85**, 467
Cormier, V.F. An application of the propagator matrix of dynamic ray tracing: The focusing and defocusing of body waves by three-dimensional velocity structure in the source region, **87**, 1159
Cormier, V.F. *see* Der, Z.A.
Cormier, V.F. *see* Lees, A.C.
Courtney, R.C., White, R.S. Anomalous heat flow and geoid across the Cape Verde Rise: evidence for dynamic support from a thermal plume in the mantle, **87**, 815
Crampin, S., Booth, D.C., Krasnova, M.A., Chesnokov, E.M., Maximov, A.B., Tarasov, T. Shear-wave polarizations in the Peter the First Range indicating crack-induced anisotropy in a thrust-fault regime, **84**, 401
Crampin, S. *see* Booth, D.C.
Creer, K.M., Smith, G., Tucholka, P., Bonifay, E., Thouveny, N., Truze, E. A preliminary palaeomagnetic study of the Holocene and late Wurmian sediments of Lac du Bouchet (Haute-Loire, France), **86**, 943
Crossley, D. *see* Mereu, R.F.
Dagley, P., Mussett, A.E. Palaeomagnetism and radiometric dating of the British Tertiary Igneous Province: Muck and Eigg, **85**, 221
Daignières, M. *see* Vilotte, J.P.
Daly, L. *see* Thompson, J.F.C.
Das, S. Comparison of the radiated fields generated by the fracture of a circular crack and a circular asperity, **85**, 601
Davies, G.F. Mantle convection under simulated plates: effects of heating modes and ridge and trench migration, and implications for the core–mantle boundary, bathymetry, the geoid and Benioff zones, **84**, 153
Davies, G.F. *see* Gurnis, M.
Davis, E.E., Clowes, R.M. High velocities and seismic anisotropy in Pleistocene turbidites off Western Canada, **84**, 381
Davis, J.P., Henson, I.H. Validity of the great circular average approximation for inversion of normal mode measurements, **85**, 69
de Cuevas, B.A., Brundrit, G.B., Shipley, A.M. Low-frequency sea-level fluctuations along the coasts of Namibia and South Africa, **87**, 33
de Mesquita, A.R., Franco, A.S., Harari, J. On mean sea-level along the Brazilian coast, **87**, 67
Der, Z.A., Lees, A.C., Cormier, V.F., Anderson, L.M. Frequency dependence of Q in the mantle underlying the shield areas of Eurasia, Part I: analyses of short and intermediate period data, **87**, 1057
Der, Z.A., Lees, A.C., Cormier, V.F. Frequency dependence of Q in the mantle underlying the shield areas of Eurasia, Part III: The Q model, **87**, 1103
Der, Z.A. *see* Lees, A.C.
Deutsch, E.R. *see* Storetvedt, K.M.
Diamante, J. *see* Carter, W.E.
Diament, M., Sibuet, J.-C., Hadaoui, A. Isostasy of the Northern Bay of Biscay continent margin, **86**, 893
Dickman, S.R., Preisig, J.R. Another look at North Sea pole tide dynamics, **87**, 295
Dickman, S.R., Steinberg, D.J. New aspects of the equilibrium pole tide, **86**, 515
Dimitropoulos, K. Regional magnetic and palaeomagnetic correlation in the Grampian Highlands, **85**, 383
G.W. A teleseismic delay time study across the Central African Shear Zone in the Adamawa region of Cameroon, West Africa, **86**, 751
Dorbath, L. *see* Dorbath, C.
Dragoni, M., Bonafede, M., Boschi, E. Shallow earthquakes in a viscoelastic shear zone with depth-dependent friction and rheology, **86**, 617
Dragoni, M. *see* Bonafede, M.
Drake, L.A. *see* Bolt, B.A.
Drummond, R.A. *see* Peltier, W.R.
duBerger, R. *see* Mereu, R.F.
Duschenes, J., Sinha, M.C., Louden, K.E. A seismic refraction experiment in the Tyrrhenian Sea, **85**, 139

Edwards, J. Directions of anhystereticc a rotional remanent magnetizations in rotating samples, **85**, 209
Edwards, R.N. *see* Nobes, D.C.
Egbert, G.D., Booker, J.R. Robust estimation of geomagnetic transfer functions, **87**, 173
El-Isa, Z.H., Mustafa, H. Earthquake deformations in the Lisan deposits and seismotectonic implications, **86**, 413
Endo, T. *see* Okubo, S.
Eustance, N.B. *see* Xu, T.C.
Evans, M.E., Maillol, J.M. A palaeomagnetic investigation of a Permian redbed sequence from a mining drill core, **87**, 411

Facey, D. *see* O'Donovan, J.B.
Fairhead, J.D. *see* Dorbath, C.
Felsen, L.B. *see* Lu, I.T.
Fischer, G. *see* Weaver, J.T.
Fisher, N.I. Robust tests for comparing the dispersions of several Fisher or Watson distributions on the sphere, **85**, 563
Fishman, L. *see* McCoy, J.J.
Forsyth, D.A. *see* Mereu, R.F.
Foster, D.J., Carrion, P.M. Generalized Born inversion of seismic reflection data, **85**, 329
Fox, P.J. *see* Karson, J.A.
Franco, A.S. *see* de Mesquita, A.R.
Frazer, L.N. *see* McCoy, J.J.
Freeman, R. Magnetic mineralogy of pelagic limestones, **85**, 433

Galbrun, B., Butler, R.F. Curie temperature analyses of Upper Jurassic and Lowe Cretaceous pelagic limestones, **86**, 885
Garmany, J. *see* Thomson, C.
Gieske, A. On phase shifts in periodic well fluctuations, **86**, 789
Gillett, S.L. Estimation of the Bingham distribution function on nearly two-dimentional data sets, **84**, 641
Gire, C., Le Mouël, J.L. Madden, T. Motions at the core surface derived from *SV* data, **84**, 1
Glenn, L.A., Moran, B., Ladd, A.J.C., Wilson, K.A., Rial, J.A. Elastic radiation from explosively-loaded axisymmetric cavities, **86**, 119
Green, A.G. *see* Mereu, R.F.
Gross, R.S. The influence of earthquakes on the Chandler wobble during 1977-1983, **85**, 161
Gubbins, D., Tomlinson, L. Secular variation from monthly means from Apia and Amberley magnetic observatories, **86**, 603
Gubbins, D. *see* Ansell, J.H.
Gubbins, D. *see* Bloxham, J.
Guillaume, A. *see* Thompson, J.F.C.
Gumis, M., Davies, G.F. Numerical study of high Rayleigh number convection in a medium with depth-dependent viscosity, **85**, 523

Ha, J. Wave propagation in transversely isotropic and periodically layered isotropic media, **86**, 635
Ha, J. *see* Ingate, S.F.
Habermann, R.E., McCann, W.R., Perin, B. Spatial seismicity variations along convergent plate boundaries, **85**, 43
Hadaoui, A. *see* Diament, M.
Hanyga, A. Gaussian beams in anisotropic elastic media, **85**, 473
Harari, J. *see* de Mesquita, A.R.
Harper, J.F. Mantle flow and plate motions, **87**, 155
Hasegawa, A. *see* Matsuzawa, T.
Hassan, F.M. *see* Ashour, A.A.
Hedstrom, G.W. *see* Chin, R.C.Y.
Henson, I.H. *see* Davis, J.P.
Herzog, G.F. *see* Ticich, T.
Hijab, B.R. *see* Xu, T.C.
Holt, J.N. *see* Wright, S.J.
Hong, M., Bond, L.J. Application of the finite difference method in seismic source and wave diffraction simulation, **87**, 731
Houtz, R.E. *see* Coffin, M.F.
Huang, J., Chen, W.-P. Source mechanisms of the Mogod earthquake sequence of 1967 and the event of 1974 July 4 in Mongolia, **84**, 361
Hubral, P. *see* Tygel, M.
Hudson, J.A. A higher order approximation to the wave propagation constants for a cracked solid, **87**, 265
Hyodo, M., Yaskawa, K. Palaeomagnetism of a core sediment from the Inland Sea, Japan (Seto Naikai), **86**, 41

IAGA Division I Working Group 1. International Geomagnetic Reference Field revision 1985, **85**, 217
Idnurm, M. Late Mesozoic and Cenozoic palaeomagnetism of Australia – III. Bias-corrected pole paths for Australia, Antarctica and India, **86**, 277
Iliceto, V., Malaguti, R., Santarato, G. A model study of telluric fields in two-dimensional structures, **86**, 399
Ingate, S.F., Ha, J., Muirhead, K.J.. Limitations of waveform modelling of long-period seismograms, **86**, 57
Ivansson, S. Some remarks concerning seismic reflection tomography and velocity analysis, **87**, 539

Jacobs, S.J. On flow of a heat conducting fluid through a porous medium, **87**, 275
Jeleńska, M., Lewandowski, M. A palaeomagnetic study of Devonian sandstone from Central Spitsbergen, **87**, 617
Johnson, L.R. *see* Tralli, D.M.

Jones, A.G. Parkinson's pointers' potential perfidy!, **87**, 1215
Jozwiak, W., Beamish, D. A thin-sheet model of electromagnetic induction in northern England and southern Scotland, **85**, 629
Julian, B.R. Analysing seismic-source mechanisms by linear-programming methods, **84**, 431

Kaila, K.L. *see* Rao, N.M.
Kanamori, H. *see* Tanimoto, T.
Karson, J.A., Fox, P.J. Geological and geophysical investigation of the Mid-Cayman Spreading Centre: seismic velocity measurements and implications for the constitution of layer 3, **85**, 389
Kennett, B.L.N. Wavenumber and wavetype coupling in laterally heterogeneous media, **87**, 313
Kennett, B.L.N. *see* Sambridge, M.S.
Kerridge, D.J. *see* Quinn, J.M.
King, G. *see* Ansell, J.
Klimeš, L. Discretization error for the superposition of Gaussian beams, **86**, 531
Klosko, S.M. *see* Lerch, F.J.
Knopoff, L. *see* Chen, Y.T.
Krasnova, M.A. *see* Booth, D.C.
Krasnova, M.A. *see* Crampin, S.
Kruse, T.H. *see* Ticich, T.
Kunn, O. *see* Mercu, R.F.

Ladd, A.J.C. *see* Glenn, L.A.
Lambeck, K., Coleman, R. Reply to comments by Lerch *et al*. on 'The Earth's shape and gravity field: a report of progress from 1958 to 1982', **84**, 665
Law, L.K. *see* Nobes, D.C.
Lay, T. *see* Burger, R.W.
Lees, A.C., Der, Z.A., Cormier, V.F., Marshall, M.E., Burnetti, J.A. Frequency dependence of Q in the mantle underlying the shield areas of Eurasia, Part II: analyses of long period data, **87**, 1085
Lees, A.C. *see* Der, Z.A.
LeMouël, J.L. *see* Gire, C.
Lennon, G.W. *see* Pariwono, J.I.
LeQuang, B.V. *see* Weaver, J.T.
Lerche, I. Multiple scattering of seismic waves, variable gas saturation and ZODs: theoretical considerations and observational methodology, **86**, 241
Lerche, I., Menke, W. An inversion method for separating apparent and intrinsic attenuation in layered media, **87**, 333
Lerche, I. *see* Resnick, J.R.
Lerch, F.J., Klosko, S.M., Wagner, C.A. Comments on Lambeck and Coleman: 'The Earth's shape and gravity field: a report of progress from 1958 to 1982', **86**, 651
Lewandowski, M. *see* Jeleńska, M.
Liddicoat, J.C. *see* Ticich, T.
Lister, C.R.B. Differential thermal stresses in the Earth **86**, 319
Louden, K.E. *see* Duschenes, J.
Louden, K.E. *see* Potts, C.G.
Lundberg, L. *see* Ticich, T.
Lu., I.T., Felsen, L.B. Matrix Green's functions for array-type sources and receivers in multiwave layered media, **84**, 30
Lu, I.T., Felsen, L.B. Ray, mode and hybrid options for time-dependent source-excited propagation in an elastic layer, **86**, 177
Lyon-Caen, H. Comparison of the upper mantle shear wave velocity structure of the Indian Shield and the Tibetan Plateau and tectonic implications, **86**, 727
Lyons, R.G. *see* Turner, G.M.
Le Mouel, J-L. *see* Backus, G.E.

MacBain, J. On the Frechet differentiability of the one-dimensional magnetotellurics problem, **86**, 669
Macbeth, C.D., Burton, P.W. Propagation of 0.7 Hz Rayleigh waves in Scotland, **84**, 101
McCaffrey, R., Nábělek, J. Seismological evidence for shallow thrusting north of the Timor trough, **85**, 365
McCann, W.R. *see* Habermann, R.E.
McCowan, D.W. *see* Brysk, H.
McCoy, J.J., Fishman, L., Frazer, L.N. Reflection and transmission at an interface separating transversely inhomogeneous acoustic half-spaces, **85**, 543
McCoy, J.J., Frazer, L.N. Propagation modelling based on wavefield factorization and invariant imbedding, **86**, 703
Macé, J. *see* Perroud, H.
McFadden, P.L., Schmidt, P.W. The accumulation of palaeomagnetic results from multicomponent analyses, **86**, 965
Madariaga, R. *see* Vilotte, J.P.
Madden, T. *see* Gire, C.
Mahashabde, M.V. *see* Thaku, N.K
Maillol, J.M. *see* Evans, M.E.
Majda, G. *see* Chin, R.C.Y.
Malaguti, R. *see* Iliceto, V.
Marshall, M.E. *see* Lees, A.C.
Marshall, P.D., Bingham, J., Young, J.B. An analysis of P-wave amplitudes recorded by seismological stations in the USSR, **84**, 71
Márton, P. Archaeomagnetic directional results from Hungary, **86**, 719
Matsuzawa, T., Umino, N., Hasegawa, A., Takagi, A. Upper mantle velocity structure estimated from PS -converted wave beneath the north-eastern Japan Arc, **86**, 767
Maul, G.A. Linear correlations between Florida Current volume transport and surface speed with Miami sea-level and weather during 1964–70, **87**, 55
Maximov, A.B. *see* Crampin, S.

Menke, W. *see* Lerche, I.
Menvielle, M., Tarits, P. 2-D or 3-D interpretation of conductivity anomalies: example of the Rhine-Graben conductivity anomaly, **84**, 213
Mereu, R.F., Wang, D., Kunn, O., Forsyth, D.A., Green, A.G., Morel, P., Buchbinder, G.G.R., Crossley, D., Schwarz, E., duBerger, R., Brooks, C., Clowes, R. The 1982 COCRUST seismic experiment across the Ottawa–Bonnechere graben and Grenville Front in Ontario and Quebec, **84**, 491
Mereu, R.F. *see* Ojo, S.B.
Mitchell, A.C. *see* Boslough, M.B.
Mochizuki, E. The free oscillations of an anisotropic and heterogeneous earth, **86**, 167
Moniot, R.K. *see* Ticich, T.
Moran, B. *see* Glenn, L.A.
Moran, B. *see* Rial, J.A.
Morel, P. *see* Mereu, R.F.
Mouyaris, N. *see* Papastamatiou, D.
Muirhead, K.J. *see* Ingate, S.F.
Müller, G. Generalized Maxwell bodies and estimates of mantle viscosity, **87**, 1113
Mussett, A.E. *see* Dagley, P.
Mustafa, H. *see* El-Isa, Z.H.

Nábělek, J. *see* McCaffrey
Nishizawa, A., Suychiro, K. Crustal structure across the Kurile Trench off south-eastern Hokkaido by airgun-OBS profiling, **86**, 371
Nobes, D.C. The inclusion of anisotropy in Maxwell's equations, **85**, 655
Nobes, D.C., Law, L.K., Edwards, R.N. The determination of resistivity and porosity of the sediment and fractured basalt layers near the Juan de Fuca Ridge, **86**, 289
Noel, M. An anomalous detrital sediment magnetization, **85**, 645
Noel, M. The palaeomagnetism and magnetic fabric of sediments from Peak Cavern, Derbyshire, **84**, 445
Nowack, R.L., Aki, K. Iterative inversion for velocity using waveform data, **87**, 701
Nowroozi, A.A. On the linear relation between *mb* and *Ms* for discrimination between explosions and earthquakes, **86**, 687

O'Connor, W.P. On the application of asymptotic analysis to the dynamical theory of the pole tide, **85**, 1
Odom, R.I. A coupled mode examination of irregular waveguides including the continuum spectrum, **86**, 425
O'Donovan, J.B., Facey, D., O'Reilly, W. The magnetization process in titanomagnetite ($Fe_{2.4}$ $Ti_{0.6}$ O_4) in the 1–30 um particle size range, **87**, 897
Ojo, S.B., Mereu, R.F. The effect of random velocity functions on the travel times and amplitudes of seismic waves, **84**, 607
Okubo S., Endo, T. Static spheroidal deformation of degree 1 – consistency relation, stress solution and partials, **86**, 91
Orcutt, J.A. *see* Shearer, P.M.
O'Reilly, W. *see* O'Donovan, J.B.
Osagie, E.O. Anelasticity of the crust and upper mantle of South America from the inversion of observed surface wave attenuation, **86**, 1

Palumbo, A. Lunar and solar tidal components in the occurrence of earthquakes in Italy, **84**, 93
Pal, D.K. *see* Ticich, T.
Papastamatiou, D., Mouyaris, N. The earthquake of April 30, 1954, in Sophades (Central Greece), **87**, 885
Pariwono, J.I., Bye, J.A.T., Lennon, G.W. Long-period variations of sea-level in Australasia, **87**, 43
Parker, R. Comment concerning 'On the Frechet differentiability of the one-dimensional magnetotellurics problem' by John MacBain, **86**, 673
Peltier, W.R., Drummond, R.A., Tushingham, A.M. Post-glacial rebound and transient lower mantle rheology, **87**, 79
Pereyra, V. *see* Raily, J.A.
Perin, B. *see* Habermann, R.E.
Perroud, H., Bonhommet, N., Thebault, J.P. Palaeomagnetism of the Ordovician Moulin de Chateaupanne formation, Vendee, Western France, **85**, 573
Perroud, H., Auvray, B., Bonhommet, N., Mace, J., Van der Voo, R. Palaeomagnetism and K-Ar dating of Lower Carboniferous dolerite dykes from northern Brittany, **87**, 143
Poirier, J.P. Dislocation-mediated melting of iron and the temperature of the Earth's core, **85**, 315
Potter, D.K., Stephenson, A. The detection of fine particles of magnetite using anhysteretic and rotational remanent magnetizations, **87**, 569
Potter, D.K. *see* Stephenson, A.
Potts, C.G., White, R.S., Louden, K.E. Crustal structure of Atlantic fracture zones – II. The Verna fracture zone and transverse ridge, **86**, 491
Potts, C.G., Calvert, A.J., White, R.S. Crustal structure of Atlantic fracture zones – III. The Tydeman fracture zone, **86**, 909
Prasad, S.N. *see* Thaku, N.K.
Preisig, J.R. *see* Dickman, S.R.
Pyle, T.E. *see* Carter, W.E.

Quareni, F. *see* Bonafede, M.
Quinn, J.M., Kerridge, D.J., Barraclough, D.R. World Magnetic Charts for 1985 – spherical harmonic models of the geomagnetic field and its secular variation, **87**, 1143

Rabinowitz, P.D. *see* Coffin, M.F.
Raily, J.A., Pereyra, V., Wojcik, G.L. An explanation for USGS Station 6 record, 1979 Imperial Valley earthquake: a caustic induced by a sedimentary wedge, **84**, 257
Rao, D.B. Modelling of sedimentary basins from gravity anomalies with variable density contrast, **84**, 207
Rao N.M., Kaila, K.L. Application of the negative binomial to earthquake occurrences in the Alpide–Himalayan belt, **85**, 283
Recq, M., Charvis, P. A seismic refraction survey in the Kerquelen Isles, southern Indian Ocean, **84**, 529
Resnick, J.R., Lerche, I., Shuey, R.T. Reflection, transmission, and the generalized primary wave, **87**, 349
Rial, J.A., Moran, B. Radiation patterns for explosively-loaded axisymmetric cavities in an elastic medium: analytic approximations and numerical results, **86**, 855
Rial, J.A. *see* Glenn, L.A.
Rigden, S.M. *see* Boslough, M.B.
Robertson, D.S. *see* Carter, W.E.
Roberts, R.G. The deep electrical structure of the Earth, **85**, 583
Robinson, R. Seismicity, structure and tectonics of the Wellington region, New Zealand, **87**, 379
Rochester, M.G. *see* Smylie, D.E.
Romanowicz, B., Roult, G. First-order asymptotics for the eigenfrequencies of the Earth and application to the retrieval of large-scale lateral variations of structure, **87**, 209
Roperch, P., Taylor, G.K. The importance of gyromagnetic remanence in alternating field demagnetization. Some new data and experiments on G.R.M. and R.R.M., **87**, 949
Roult, G. *see* Romanowicz, B.

Sacks, I.S. *see* Boss, A.P.
Sacks, I.S. *see* Snoke, J.A.
Sadikun, S. *see* Stephenson, A.
Sambridge, M.S., Kennett, B.L.N. A novel method of hypocentre location, **87**, 679
Sansò, F., Barzaghi, R., Tscheming, C.C. Choice of norm for the density distribution of the Earth, **87**, 123
Santarato, G. *see* Iliceto, V.
Saunders, M.R. *see* Whitmarsh, R.B.
Savin, W. *see* Ticich, T.
Scales, J.A. Fast transform eigenfunction methods for boundary value problems, **86**, 203
Schmidt, H., Tango, G. Efficient global matrix approach to the computation of synthetic seismograms, **84**, 334
Schmidt, P.W. *see* McFadden, P.L.
Schmitt, D *see* Bass, J.D.
Schwarz, E. *see* Mereu, R.F.
Shaw, P.R. The accuracy of models derived by WKBJ waveform inversion, **85**, 291
Shearer, P.M., Orcutt, J.A. Compressional and shear wave anisotropy in the oceanic lithosphere – the Ngendei seismic refraction experiment, **87**, 967
Shen, P.Y., Beck, A.E. Stabilization of bottom hole temperature with finite circulation time and fluid flow, **86**, 63
Shipley, A.M. *see* de Cuevas, B.A.
Shuey, R.T. *see* Resnick, J.R.
Sibuet, J.-C. *see* Diament, M.
Singh, B.P. *see* Thaku, N.K.
Sinha, M.C. *see* Duschenes, J.
Smith G. *see* Creer, K.M.
Smith, C.M. *see* Ticich, T.
Smith, W.D. Evidence for precursory changes in the frequency–magnitude *b*-value, **86**, 815
Smylie, D.E., Rochester, M.G. A variational principle for the subseismic wave equation, **86**, 553
Snieder, R. 3-D linearized scattering of surface waves and a formalism for surface wave holography, **84**, 581
Snoke, J.A., Sacks, I.S. Seismic modelling of lateral heterogeneity at the base of the mantle, **86**, 801
Souriau, A. Random walk of the Earth's pole related to the Chandler wobble excitation, **86**, 455
Spudich, P. *see* Ascher, U.
Steinberg, D.J. *see* Dickman, S.R.
Stephenson, A., Sadikun, S., Potter, D.K. A theoretical and experimental comparison of the anisotropies of magnetic susceptibility and remanence in rocks and minerals, **84**, 185
Stephenson, A. *see* Potter, D.K.
Storetvedt, K.M., Deutsch, E.R. Reappraisal of Scottish Ordovician palaeomagnetism, **87**, 1193
Strivastava, B.J. *see* Thaku, N.K.
Stuart, G.W. *see* Dorbath, C.
Suyehiro, K. *see* Nishizawa, A.

Takagi, A. *see* Matsuzawa, T.
Tango, G. *see* Schmidt, H.
Tanimoto, T. The Backus–Gilbert approach to the 3-D structure in the upper mantle – II. *SH* and *SV*, velocity, **84**, 49
Tanimoto, T., Kanamori, H. Linear programming approach to moment tensor inversion of earthquake sources and some tests on the three-dimensional structure of the upper mantle, **84**, 413
Tanimoto, T. Free oscillations of a slightly anisotropic Earth, **87**, 493
Tarasov, T. *see* Crampin, S.
Tarits, P. *see* Menvielle, M.
Tarling, D.H. *see* Xu, T.C.
Taylor, G.K. *see* Roperch, P.
Thaku, N.K., Mahashabde, M.V., Arora, B.R., Singh, B.P., Srivastava, B.J., Prasad, S.N. Geomagnetic variation anomalies in peninsular India, **86**, 839
Thebault, J.P. *see* Perroud, H.

Thompson, J.F.C., Guillaume, A., Daly, L. Palaeomagnetism of the Permian volcanic rocks of Moissey (French Jura): implications for the palaeofield and tectonic evolution, **86**, 103
Thompson, K.R. North Atlantic sea-level and circulation, **87**, 15
Thomson, C., Clarke, T., Garmany, J. Observations on seismic wave equation and reflection coefficient symmetries in stratified media, **86**, 675
Thomson, C.J., Chapman, C.H. End-point cntributions to synthetic seismograms, **87**, 285
Thouveny, N. *see* Creer, K.M.
Ticich, T., Lundberg, L., Pal, D.K., Smith, C.M., Herzog, G.F., Moniot, R.K., Tuniz, C., Savin, W., Kruse, T.H., Liddicoat, J.C. ^{10}Be contents of Mono Lake sediments: search for enhancement during a geomagnetic excursion, **87**, 487
Tomlinson, L. *see* Gubbins, D.
Torii, T. *see* Yamamoto, T.
Tralli, D.M., Johnson, L.R. Lateral variations in mantle *P* velocity from tectonically regionalized tau estimates, **86**, 475
Truze, E. *see* Creer, K.M.
Tscheming, C.C. *see* Sanso, F.
Tucholka, P. *see* Creer, K.M.
Tuniz, C. *see* Ticich, T.
Turnell, H.B. *see* Briden, J.C.
Turner, G.M., Lyons, R.G. A palaeomagnetic secular-variation record from *c*. 120 000 yr-old New Zealand cave sediments, **87**, 1181
Tushingham, A.M. *see* Peltier, W.R.
Tygel, M., Hubral, P. Finite integral solution for the point source response of a layered acoustic medium, **84**, 647

Umino, N. *see* Matsuzawa, T.

Valette, B. About the influence of pre-stress upon adiabatic perturbations of the Earth, **85**, 179
Van der Voo, R. *see* Perroud, H.
Veitch, R.J. Contribution of domain rotation to the magnetic susceptibility of spherical two-domain particles of magnetite, **86**, 229
Vilotte, J.P., Madariaga, R., Daignieres, M., Zienkiewicz, O. Numerical study of continental collision: influence of buoyancy forces and an initial stiff inclusion, **84**, 279

Wagner, C.A. *see* Lerch, F.J.
Wahr, J.M. *see* Carton, J.A.
Wahr, J., Bergen, Z. The effects of mantle anelasticity on nutations, earth tides, and tidal variations in rotation rate, **87**, 633
Walden, A.T. Estimating confidence intervals for the gain and phase of frequency response functions, **87**, 519
Wallace, T.C. Some useful approximations to generalized ray theory for regional distance seismograms, **85**, 349
Walton, D. *see* Williams, W.
Wang, D. *see* Mereu, R.F.
Ward, S.N. A note on the surface volume change of shallow earthquakes, **85**, 461
Watts, D.R. *see* Briden, J.C.
Weaver, J.T., LeQuang, B.V., Fischer, G. A comparison of analytical and numerical results for a 2-D control model in electromagnetic induction – II. E-polarization calculations, **87**, 917
Westaway, R. *see* Ansell, J.
Whaler, K.A. Geomagnetic evidence for fluid upwelling at the core–mantle boundary, **86**, 563
White, R.S. *see* Courtney, R.C.
White, R.S. *see* Potts, C.G.
Whitmarsh, R.B., Avedik, F., Saunders, M.R. The seismic structure of thinned continental crust in the northern Bay of Biscay, **86**, 589
Whitmarsh, R.B., Calvert, A.J. Crustal structure of Atlantic fracture zones – I. The Charlie-Gibbs Fracture Zone, **85**, 107
Williams, W., Walton, D. Demagnetization of viscous moments, **85**, 453
Wilson, K.A. *see* Glenn, L.A.
Wojcik, G.L. *see* Raily, J.A.
Wolf, D. Reply to comments by Robert P. Comer, **85**, 469
Wong, Y.K. *see* Woodhouse, J.H.
Woodhouse, J.H., Wong, Y.K. Amplitude, phase and path anomalies of mantle waves, **87**, 753
Woodworth, P.L., Cartwright, D.E. Extraction of the M2 ocean tide from *SEASAT* altimeter data, **84**, 227
Wright, S.J., Holt, J.N. A new non-linear least squares algorithm for the seismic inversion problem, **87**, 1041
Wunsch, C. Dynamics of the North Sea pole tide reconsidered, **87**, 869

Xu, T.C., Tarling, D.H., Eustance, N.B., Hijab, B.R. Short-term viscous effects on measurements of remanance, **87**, 305

Yamamoto, T., Torii, T. Seabed shear modulus profile inversion using surface gravity (water) wave-induced bottom motion, **85**, 413
Yaskawa, K. *see* Hyodo, M.
Young, J.B. *see* Marshall, P.D.

Zienkiewicz, O. *see* Vilotte, J.P.

Geophysical Journal subject index 1986

Anisotropy

A theoretical and experimental comparison of the anisotropies of magnetic susceptibility and remanence in rocks and minerals (Stephenson, A., Sadikun, S., Potter, D.K.), **84**, 185
High velocities and seismic anisotropy in Pleistocene turbidites off Western Canada (Davis, E.E., Clowes, R.M.), **84**, 381
Shear-wave polarizations in the Peter the First Range indicating crack-induced anisotropy in a thrust-fault regime (Crampin, S., Booth, D.C., Krasnova, M.A., Chesnokov, E.M., Maximov, A.B., Tarasov, T.), **84**, 401
The effect of random velocity functions on the travel times and amplitudes of seismic waves (Ojo, S.B., Mereu, R.F.), **84**, 607
Gaussian beams in anisotropic elastic media (Hanyga, A.), **85**, 473

Archaeomagnetism

Archaeomagnetic directional results from Hungary (Márton, P.), **86**, 719

ARM

Directions of anhysteretic and rotational remanent magnetizations in rotating samples (Edwards, J.), **85**, 209

Atmospheric tide

On phase shifts in Periodic well fluctuations (Gieske, A.), **86**, 789

Benioff zone

Mantle convection under simulated plates: effects of heating modes and ridge and trench migration, and implications for the core–mantle boundary, bathymetry, the geoid and Benioff zones (Davies, G.F.), **84**, 153

Bingham statistics

Estimation of the Bingham distribution function on nearly two-dimentional data sets (Gillett, S.L.), **84**, 641

Boreholes

Holographic *in situ* stress measurements (Bass, J.D., Schmitt, D., Ahrens, T.J.), **85**, 13

British Tertiary

Palaeomagnetism and radiometric dating of the British Tertiary Igneous Province: Muck and Eigg (Dagley, P., Mussett, A.E.), **85**, 221

Canada

High velocities and seismic anisotropy in Pleistocene turbidites off Western Canada (Davis, E.E., Clowes, R.M.), **84**, 381
The 1982 COCRUST seismic experiment across the Ottawa–Bonnechere graben and Grenville Front in Ontario and Quebec (Mereu, R.F., Wang, D., Kunn, O., Forsyth, D.A., Green, A.G., Morel, P., Buchbinder, G.G.R., Crossley, D., Schwarz, E., duBerger, R., Brooks, C., Clowes, R.), **84**, 491

Carboniferous period

Palaeomagnetism and K-Ar dating of Lower Carboniferous dolerite dykes from northern Brittany (Perroud, H., Auvray, B., Bonhommet, N., Macé, J., Van der Voo, R.), **87**, 143

Chandler wobble

Modelling the pole tide and its effect on the Earth's rotation (Carton, J.A., Wahr, J.M.), **84**, 21
The influence of earthquakes on the Chandler wobble during 1977-1983 (Gross, R.S.), **85**, 161
Random walk of the Earth's pole related to the Chandler wobble excitation (Souriau, A.), **86**, 455
New aspects of the equilibrium pole tide (Dickman, S.R., Steinberg, D.J.), **86**, 515
Another look at North Sea pole tide dynamics (Dickman, S.R., Preisig, J.R.), **87**, 295
Dynamics of the North Sea pole tide reconsidered (Wunsch, C.), **87**, 869

Computational methods

Fast transform eigenfunction methods for boundary value problems (Scales, J.A.), **86**, 203

Convection

Mantle convection under simulated plates: effects of heating modes and ridge and trench migration, and implications for the core–mantle boundary, bathymetry, the geoid and Benioff zones (Davies, G.F.), **84**, 153

Core-mantle interface

Seismic modelling of lateral heterogeneity at the base of the mantle (Snoke, J.A., Sacks, I.S.), **86**, 801

Crust

2-D or 3-D interpretation of conductivity anomalies: example of the Rhine-Graben conductivity anomaly (Menvielle, M., Tarits, P.), **84**, 213

Crustal structure

A seismic refraction survey in the Kerquelen Isles, southern Indian Ocean (Recq, M., Charvis, P.), **84**, 529

Crustal structure of Atlantic fracture zones – I. The Charlie-Gibbs Fracture Zone (Whitmarsh, R.B., Calvert, A.J.), **85**, 107

A seismic refraction experiment in the Tyrrhenian Sea (Duschenes, J., Sinha, M.C., Louden, K.E.), **85**, 139

Data analysis

Discretization error for the superposition of Gaussian beams (Klimeš, L.), **86**, 531

The accumulation of palaeomagnetic results from multicomponent analyses (McFadden, P.L., Schmidt, P.W.), **86**, 965

Data inversion

The Backus–Gilbert approach to the 3-D structure in the upper mantle – II. *SH*, and *SV*, velocity (Tanimoto, T.), **84**, 49

Deep crustal structure

The 1982 COCRUST seismic experiment across the Ottawa–Bonnechere graben and Grenville Front in Ontario and Quebec (Mereu, R.F., Wang, D., Kunn, O., Forsyth, D.A., Green, A.G., Morel, P., Buchbinder, G.G.R., Crossley, D., Schwarz, E., duBerger, R., Brooks, C., Clowes, R.), **84**, 491

Deep crustal geoelectric structure beneath the Northumberland Basin (Beamish, D.), **84**, 619

Deformation and creep

Displacement and stress fields produced by a centre of dilation and by a pressure source in a viscoelastic half-space: application to the study of ground deformation and seismic activity at Campi Flegrei, Italy (Bonafede, M., Dragoni, M., Quareni, F.), **87**, 455

Generalized Maxwell bodies and estimates of mantle viscosity (Müller, G.), **87**, 1113

Density of the Earth

Choice of norm for the density distribution of the Earth (Sansò, F., Barzaghi, R., Tscherning, C.C.), **87**, 123

Earthquake prediction

Lunar and solar tidal components in the occurrence of earthquakes in Italy (Palumbo, A.), **84**, 93

Earthquakes

The 1984 July 19 North Wales earthquake – a lower crustal continental event indicating brittle behaviour at an unusual depth (Ansell, J., Aspinall, W., King, G., Westaway, R.), **84**, 201

An explanation for USGS Station 6 record, 1979 Imperial Valley earthquake: a caustic induced by a sedimentary wedge (Raily, J.A., Pereyra, V., Wojcik, G.L.), **84**, 257

Source mechanisms of the Mogod earthquake sequence of 1967 and the event of 1974 July 4 in Mongolia (Huang, J., Chen, W.-P.), **84**, 361

Linear programming approach to moment tensor inversion of earthquake sources and some tests on the three-dimensional structure of the upper mantle (Tanimoto, T., Kanamori, H.), **84**, 413

The influence of earthquakes on the Chandler wobble during 1977-1983 (Gross, R.S.), **85**, 161

Application of the negative binomial to earthquake occurrences in the Alpide–Himalayan belt (Rao N.M., Kaila, K.L.), **85**, 283

A note on the surface volume change of shallow earthquakes (Ward, S.N.), **85**, 461

Comparison of the radiated fields generated by the fracture of a circular crack and a circular asperity (Das, S.), **85**, 601

Anelasticity of the crust and upper mantle of South America from the inversion of observed surface wave attenuation (Osagie, E.O.), **86**, 1

Earthquake deformations in the Lisan deposits and seismotectonic implications (El-Isa, Z.H., Mustafa, H.), **86**, 413

Shallow earthquakes in a viscoelastic shear zone with depth-dependent friction and rheology (Dragoni, M., Bonafede, M., Boschi, E.), **86**, 617

On the linear relation between *m*b and *M*s for discrimination between explosions and earthquakes (Nowroozi, A.A.), **86**, 687
Evidence for precursory changes in the frequency–magnitude *b*-value (Smith, W.D.), **86**, 815
A novel method of hypocentre location (Sambridge, M.S., Kennett, B.L.N.), **87**, 679
The earthquake of April 30, 1954, in Sophades (Central Greece) (Papastamatiou, D., Mouyaris, N.), **87**, 885
Static shear crack with a zone of slip-weakening (Chen, .T., Knopoff, L.), **87**, 1005
The quasistatic extension of a shear crack in a viscoelastic medium (Chen, Y.T., Knopoff, L.), **87**, 1025

Earth's core

Motions at the core surface derived from *SV*, data (Gire, C., Le Mouël, J.L. Madden, T.), **84**, 1
Geomagnetic field analysis – IV. Testing the frozen-flux hypothesis (Bloxham, J., Gubbins, D.), **84**, 139
Properties of iron at the Earth's core conditions (Anderson, O.L.), **84**, 561
Dislocation-mediatedmeling ofiroand the temperature of the Earth's core (Poirier, J.P.), **85**, 315
Geomagnetic evidence for fluid upwelling at the core–mantle boundary (Whaler, K.A.), **86**, 563

Earth's crust

Propagation of 0.7 Hz Rayleigh waves in Scotland (Macbeth, C.D., Burton, P.W.), **84**, 101
Geological and geophysical investigation of the Mid-Cayman Spreading Centre: seismic velocity measurements and implications for the constitution of layer 3 (Karson, J.A., Fox, P.J.), **85**, 389
The determination of resistivity and porosity of the sediment and fractured basalt layers near the Juan de Fuca Ridge (Nobes, D.C., Law, L.K., Edwards, R.N.), **86**, 289
Crustal structure in the Western Somali Basin (Coffin, M.F., Rabinowitz, P.D., Houtz, R.E.), **86**, 331
Crustal structure across the Kurile Trench of south-eastern Hokkaido by airgun-OBS profiling (Nishizawa, A., Suyehiro, K.), **86**, 371
Crustal structure of Atlantic fracture zones – II. The Vema fracture zone and transverse ridge. (Potts, C.G., White, R.S., Louden, K.E.), **86**, 491
The seismic structure of thinned continental crust in the northern Bay of Biscay (Whitmarsh, R.B., Avedik, F., Saunders, M.R.), **86**, 589
Crustal structure of Atlantic fracture zones – III. The Tydeman fracture zone (Potts, C.G., Calvert, A.J., White, R.S.), **86**, 909
The relationship between seismic velocity and density in the continental crust – a useful constraint? (Barton, P.J.), **87**, 195
The interpretation of the Northumberland Trough geomagnetic variation anomaly using two-dimensional current models (Banks, R.J.), **87**, 595

Earth's lithosphere

Anelasticity of the crust and upper mantle of South America from the inversion of observed surface wave attenuation (Osagie, E.O.), **86**, 1
Differential thermal stresses in the Earth (Lister, C.R.B.), **86**, 319
Shallow earthquakes in a viscoelastic shear zone with depth-dependent friction and rheology (Dragoni, M., Bonafede, M., Boschi, E.), **86**, 617
Comparison of the upper mantle shear wave velocity structure of the Indian Shield and the Tibetan Plateau and tectonic implications (Lyon-Caen, H.), **86**, 727
A teleseismic delay time study across the Central African Shear Zone in the Adamawa region of Cameroon, West Africa (Dorbath, C., Dorbath, L., Fairhead, J.D., Stuart, G.W.), **86**, 751
Upper mantle velocity structure estimated from *PS* - converted wave beneath the north-eastern Japan Arc (Matsuzawa, T., Umino, N., Hasegawa, A., Takagi, A.), **86**, 767
Compressional and shear wave anisotropy in the oceanic lithosphere – the Ngendei seismic refraction experiment (Shearer, P.M., Orcutt, J.A.), **87**, 967

Earth's mantle

The Backus–Gilbert approach to the 3-D structure in the upper mantle – II. *SH* and *SV* velocity (Tanimoto, T.), **84**, 49
Mantle convection under simulated plates: effects of heating modes and ridge and trench migration, and implications for the core–mantle boundary, bathymetry, the geoid and Benioff zones (Davies, G.F.), **84**, 153
Numerical study of high Rayleigh number convection in a medium with depth-dependent viscosity (Gurnis, M., Davies, G.F.), **85**, 523
Lateral variations in mantle *P* velocity from tectonically regionalized tau estimates (Tralli, D.M., Johnson, L.R.), **86**, 475
Comparison of the upper mantle shear wave velocity structure of the Indian Shield and the Tibetan Plateau and tectonic implications (Lyon-Caen, H.), **86**, 727
Post-glacial rebound and transient lower mantle rheology (Peltier, W.R., Drummond, R.A., Tushingham, A.M.), **87**, 79

Mantle flow and plate motions (Harper, J.F.), **87**, 155
High spatial resolution models of time-dependent, layered mantle convection (Boss, A.P., Sacks, I.S.), **87**, 241
The effects of mantle anelasticity on nutations, earth tides, and tidal variations in rotation rate (Wahr, J., Bergen, Z.), **87**, 633
Amplitude, phase and path anomalies of mantle waves (Woodhouse, J.H., Wong, Y.K.), **87**, 753
Anomalous heat flow and geoid across the Cape Verde Rise: evidence for dynamic support from a thermal plume in the mantle (Courtney, R.C., White, R.S.), **87**, 815
Frequency dependence of Q in the mantle underlying the shield areas of Eurasia, Part I: analyses of short and intermediate period data (Der, Z.A., Lees, C., Cormier, V.F., Anderson, L.M.), **87**, 1057
Frequency dependence of Q in the mantle underlying the shield areas of Eurasia, Part II: analyses of long period data (Lees, A.C., Der, Z.A., Cormier V.F., Marshall, M.E., Bumetti, J.A.), **87**, 1085
Frequency dependence of Q in the mantle underlying the shield areas of Eurasia, Part III: The Q model (Der, Z.A., Lees, A.C., Cormier, V.F.), **87**, 1103
Generalized Maxwell bodies and estimates of mantle viscosity (Müller, G.), **87**, 1113

Earth's rotation

Modelling the pole tide and its effect on the Earth's rotation (Carton, J.A., Wahr, J.M.), **84**, 121

Earth tides

Lunar and solar tidal components in the occurrence of earthquakes in Italy (Palumbo, A.), **84**, 93
Modelling the pole tide and its effect on the Earth's rotation (Carton, J.A., Wahr, J.M.), **84**, 121
On the application of asymptotic analysis to the dynamical theory of the pole tide (O'Connor, W.P.), **85**, 1
New aspects of the equilibrium pole tide (Dickman, S.R., Steinberg, D.J.), **86**, 515
On phase shifts in periodic well fluctuations (Gieske, A.), **86**, 789
The effects of mantle anelasticity on nutations, earth tides, and tidal variations in rotation rate (Wahr, J., Bergen, Z.), **87**, 633

Elastic wave theory

A hybrid collocation method for calculating complete theoretical seismograms in vertically varying media (Ascher, U., Spudich, P.), **86**, 19
Ray, mode and hybrid options for time-dependent source-excited propagation in an elastic layer (Lu, I.T., Felsen, L.B.), **86**, 177
Multiple scattering of seismic waves, variable gas saturation and ZODs: theoretical considerations and observational methodology (Lerche, I.), **86**, 241
A coupled mode examination of irregular waveguides including the continuum spectrum (Odom, R.I.), **86**, 425
Wave propagation in transversely isotropic and periodically layered isotropic media (Ha, J.), **86**, 635
Observations on seismic wave equation and reflection coefficient symmetries in stratified media (Thomson, C., Clarke, T., Garmany, J.), **86**, 675
A higher order approximation to the wave propagation constants for a cracked solid (Hudson, J.A.), **87**, 265
Reflection, transmission, and the generalized primary wave (Resnick, J.R., Lerche, I., Shuey, R.T.), **87**, 349
Some remarks concerning seismic reflection tomography and velocity analysis (Ivansson, S.), **87**, 539
The effects of near-vertical parallel cracks on shear-wave polarizations (Booth, D.C., Crampin, S., Chesnokov, E.M., Krasnova, M.A.), **87**, 583
Wavenumber and wavetype coupling in laterally heterogeneous media (Kennett, B.L.N.), **87**, 313
Application of the finite difference method in seismic source and wave diffraction simulation (Hong, M., Bond, L.J.), **87**, 731
Estimating the relative yields of Novaya Zemlya tests by waveform intercorrelation (Burger, R.W., Burdick, L.J., Lay, T.), **87**, 775
An application of the propagator matrix of dynamic ray tracing: The focusing and defocusing of body waves by three-dimensional velocity structure in the source region (Cormier, V.F.), **87**, 1159

Elastodynamics

About the influence of pre-stress upon adiabatic perturbations of the Earth (Valette, B.), **85**, 179

Electrical conductivity

2-D or 3-D interpretation of conductivity anomalies: example of the Rhine-Graben conductivity anomaly (Menvielle, M., Tarits, P.), **84**, 213

Electromagnetic induction

The deep electrical structure of the Earth (Roberts, R.G.), **85**, 583
A thin-sheet model of electromagnetic induction in northern England and southern Scotland (Józwiak, W., Beamish, D.), **85**, 629
The inclusion of anisotropy in Maxwell's equations (Nobes, D.C.), **85**, 655

Robust estimation of geomagnetic transfer functions (Egbert, G.D., Booker, J.R.), **87**, 173
The interpretation of the Northumberland Trough geomagnetic variation anomaly using two-dimensional current models (Banks, R.J.), **87**, 595
A comparison of analytical and numerical results for a 2-D control model in electromagnetic induction – II. E-polarization calculations (Weaver, J.T., LeQuang, B.V., Fischer, G.), **87**, 917
Parkinson's pointers' potential perfidy! (Jones, A.G.), **87**, 1215

Europe

Palaeomagnetism of the Permian volcanic rocks of Moissey (French Jura): implications for the palaeofield and tectonic evolution (Thompson, J.F.C., Guillaume, A., Daly, L.), **86**, 103

Explosion

Edge effects in cylindrical slant stacks (Brysk, H., McCowan, D.W.), **87**, 801

Explosion phenomena

Radiation patterns for explosively-loaded axisymmetric cavities in an elastic medium: analytic approximations and numerical results (Rial, J.A., Moran, B.), **86**, 855

Explosion seismology

Elastic radiation from explosively-loaded axisymmetric cavities (Glenn, L.A., Moran, B., Ladd, A.J.C., Wilson, K.A., Rial, J.A.), **86**, 119
Crustal structure in the Western Somali Basin (Coffin, M.F., Rabinowitz, P.D., Houtz, R.E.), **86**, 331
Crustal structure across the Kurile Trench off south-eastern Hokkaido by airgun-OBS profiling (Nishizawa, A., Suyehiro, K.), **86**, 371
Crustal structure of Atlantic fracture zones – II. The Vema fracture zone and transverse ridge. (Potts, C.G., White, R.S., Louden, K.E.), **86**, 491
The seismic structure of thinned continental crust in the northern Bay of Biscay (Whitmarsh, R.B., Avedik, F., Saunders, M.R.), **86**, 589

Free oscillations of the Earth

Validity of the great circular average approximation for inversion of normal mode measurements (Davis, J.P., Henson, I.H.), **85**, 69
Application of a correspondence principle to the free vibrations of some viscoelastic solids (Chin, R.C.Y., Hedstrom, G.W., Majda, G.), **86**, 137
The free oscillations of an anisotropic and heterogeneous earth (Mochizuki, E.), **86**, 167
Free oscillations of a slightly anisotropic Earth (Tanimoto, T.), **87**, 493

Geoid

Mantle convection under simulated plates: effects of heating modes and ridge and trench migration, and implications for the core–mantle boundary, bathymetry, the geoid and Benioff zones (Davies, G.F.), **84**, 153

Geomagnetic deep sounding

Geomagnetic variation anomalies in peninsular India (Thaku, N.K., Mahashabde, M.V., Arora, B.R., Singh, B.P., Srivastava, B.J., Prasad, S.N.), **86**, 839

Geomagnetic secular variations

A preliminary palaeomagnetic study of the Holocene and late Würmian sediments of Lac du Bouchet (Haute-Loire, France) (Creer, K.M., Smith, G., Tucholka, P., Bonifay, E., Thouveny, N., Truze, E.), **86**, 943

Geomagnetism

Motions at the core surface derived from *SV* data (Gire, C., Le Mouël, J.L. Madden, T.), **84**, 1
Geomagnetic field analysis – IV. Testing the frozen-flux hypothesis (Bloxham, J., Gubbins, D.), **84**, 139
International Geomagnetic Reference Field revision 1985 (IAGA Division I Working Group I), **85**, 217
The harmonic expansion of the scalor and vector potentials of a magnetic dipole (Ashour, A.A., Hassan, F.M., Abou-Dina, M.S.), **86**, 263
The change in $Sq(H)$ amplitude on Abnormal Quiet Days (Brown, G.M.), **86**, 467
Geomagnetic evidence for fluid upwelling at the core–mantle boundary (Whaler, K.A.), **86**, 563
Secular variation from monthly means from Apia and Amberley magnetic observatories (Gubbins, D., Tomlinson, L.), **86**, 603
Robust estimation of geomagnetic transfer functions (Egbert, G.D., Booker, J.R.), **87**, 173
The expulsion of magnetic flux from Earth's core (Bloxham, J.), **87**, 669
World Magnetic Charts for 1985 – spherical harmonic models of the geomagnetic field and its secular variation (Quinn, J.M., Kerridge, D.J., Barraclough, D.R.), **87**, 1143

Geophysics

^{10}Be contents of Mono Lake sediments: search for enhancement during a geomagnetic excursion (Ticich, T., Lundberg, L., Pal, D.K., Smith, C.M., Herzog, G.F., Moniot, R.K., Tuniz, C., Savin, W., Kruse, T.H., Liddicoat, J.C.), **87**, 487

Gravity

Modelling of sedimentary basins from gravity anomalies with variable density contrast (Rao, D.B.), **84**, 207

Gravity field, Earth

Comments on Lambeck and Coleman: 'The Earth's shape and gravity field: a report of progress from 1958 to 1982' (Lerch, F.J., Klosko, S.M., Wagner, C.A.), **86**, 651
Reply to comments by Lerch *et al.* on 'The Earth's shape and gravity field: a report of progress from 1958 to 1982' (Lambeck, K., Coleman, R.), **86**, 665

Gravity methods and surveys

Isostasy of the Northern Bay of Biscay continent margin (Diament, M., Sibuet, J.-C., Hadaoui, A.), **86**, 893

Gravity waves

Seabed shear modulus profile inversion using surface gravity (water) wave-induced bottom motion (Yamamoto, T., Torii, T.), **85**, 413

Heat flow

An analysis of *P*-wave amplitudes recorded by seismological stations in the USSR (Marshall, P.D., Bingham, J., Young, J.B.), **84**, 71
Stabilization of bottom hole temperature with finite circulation time and fluid flow (Shen, P.Y., Beck, A.E.), **86**, 63
On flow of a heat conducting fluid through a porous medium (Jacobs, S.J.), **87**, 275
Anomalous heat flow and geoid across the Cape Verde Rise: evidence for dynamic support from a thermal plume in the mantle (Courtney, R.C., White, R.S.), **87**, 815

High pressures

Properties of iron at the Earth's core conditions (Anderson, O.L.), **84**, 561

Holography

Holographic *in situ* stress measurements (Bass, J.D., Schmitt, D., Ahrens, T.J.), **85**, 13

Hugoniot

Hugoniot equation of state of anorthite glass and lunar anorthosite (Boslough, M.B., Rigden, S.M., Ahrens, T.J.), **84**, 455
Shock temperatures in anorthite glass (Boslough, M.B., Ahrens, T.J., Mitchell, A.C.), **84**, 475

Ice-air interaction

An instability theory of ice-air interaction for the migration of the marginal ice zone (Chu, P.C.), **86**, 863

IGRF 1985

International Geomagnetic Reference Field revision 1985 (IAGA Division I Working Group I), **85**, 217

India

Geomagnetic variation anomalies in peninsular India (Thaku, N.K., Mahashabde, M.V., Arora, B.R., Singh, B.P., Srivastava, B.J., Prasad, S.N.), **86**, 839

Internal dynamics of the Earth

High spatial resolution models of time-dependent, layered mantle convection (Boss, A.P., Sacks, I.S.), **87**, 241

Inverse problem

The accuracy of models derived by WKBJ waveform inversion (Shaw, P.R.), **85**, 291
Generalized Born inversion of seismic reflection data (Foster, D.J., Carrion, P.M.), **85**, 329
Seabed shear modulus profile inversion using surface gravity (water) wave-induced bottom motion (Yamamoto, T., Torii, T.), **85**, 413
Choice of norm for the density distribution of the Earth (Sansò, F., Barzaghi, R., Tscherning, C.C.), **87**, 123
An inversion method for separating apparent and intrinsic attenuation in layered media (Lerche, I., Menke, W.), **87**, 333
Some remarks concerning seismic reflection tomography and velocity analysis (Ivansson, S.), **87**, 539

Iterative inversion for velocity using waveform data (Nowack, R.L., Aki, K.), **87**, 701
A new non-linear least squares algorithm for the seismic inversion problem (Wright, S.J., Holt, J.N.), **87**, 1041

Isostasy

Isostasy of the Northern Bay of Biscay continent margin (Diament, M., Sibuet, J.-C., Hadaoui, A.), **86**, 893

Isotope

^{10}Be contents of Mono Lake sediments: search for enhancement during a geomagnetic excursion (Ticich, T., Lundberg, L., Pal, D.K., Smith, C.M., Herzog, G.F., Moniot, R.K., Tuniz, C., Savin, W., Kruse, T.H., Liddicoat, J.C.), **87**, 487

Lateral heterogeneity

The Backus–Gilbert approach to the 3-D structure in the upper mantle – II. *SH* and *SV* velociy (Tanimoto, T.), **84**, 49
Seismic modelling of lateral heterogeneity at the base of the mantle (Snoke, J.A., Sacks, I.S.), **86**, 801

Love waves

Love mode dispersion across subduction zones by finite element modelling (Bolt, B.A., Drake, L.A.), **84**, 515

Magnetic field, Earth

The region on the core–mantle boundary where a geostrophic velocity field can be determined from frozen-flux magnetic data (Backus, G.E., Le Mouël, J-L), **85**, 617
Palaeomagnetism of a core sediment from the Inland Sea, Japan (Seto Naikai) (Hyodo, M., Yaskawa, K), **86**, 41

Magnetic methods and surveys

The determination of resistivity and porosity of the sediment and fractured basalt layers near the Juan de Fuca Ridge (Nobes, D.C., Law, L.K., Edwards, R.N.), **86**, 289

Magnetic properties

Magnetic mineralogy of pelagic limestones (Freeman, R.), **85**, 433
Contribution of domain rotation to the magnetic susceptibility of spherical two-domain particles of magnetite (Veitch, R.J.), **86**, 229
Curie temperature analyses of Upper Jurassic and Lower Cretaceous pelagic limestones (Galbrun, B., Butler, R.F.) **86**, 885
The detection of fine particles of magnetite using anhysteretic and rotational remanent magnetizations (Potter, D.K., Stephenson, A.), **87**, 569
The magnetization process in titanomagnetite ($Fe_{2.4}$ $Ti_{0.6}$ O_4) in the 1–30 um particle size range (O'Donovan, J.B., Facey, D., O'Reilly, W.), **87**, 897

Magnetic surveys

Regional magnetic and palaeomagnetic correlation in the Grampian Highlands (Dimitropoulos, K.), **85**, 383

Magnetotelluric methods and surveys

A model study of telluric fields in two-dimensional structures (Iliceto, V., Malaguti, R., Santarato, G.), **86**, 399
On the Frechet differentiability of the one-dimensional magnetotellurics problem (MacBain, J.), **86**, 669
Comment concerning 'On the Frechet differentiability of the one-dimensional magnetotellurics problem' by John MacBain (Parker, R.), **86**, 673

Magnetotellurics

Deep crustal geoelectric structure beneath the Northumberland Basin (Beamish, D.), **84**, 619

Mantle

Linear programming approach to moment tensor inversion of earthquake sources and some tests on the three-dimensional structure of the upper mantle (Tanimoto, T., Kanamori, H.), **84**, 413

Mechanical properties

Differential thermal stresses in the Earth (Lister, C.R.B.), **86**, 319

Moon

Shock temperatures in anorthite glass (Boslough, M.B., Ahrens, T.J., Mitchell, A.C.), **84**, 475

Mongolia

Source mechanisms of the Mogod earthquake sequence of 1967 and the event of 1974 July 4 in Mongolia (Huang, J., Chen, W.-P.), **84**, 361

Normal modes of the Earth

A variational principle for the subseismic wave equation (Smylie, D.E., Rochester, M.G.), **86**, 553
First-order asymptotics for the eigenfrequencies of the Earth and application to the retrieval of large-scale lateral variations of structure (Romanowicz, B., Roult, G.), **87**, 209

Oceanography

On the applation of asymptotic analysis to the dynamical theory of the pole tide (O'Connor, W.P.), **85**, 11
The application of geodetic radio interferometric surveying to the monitoring of sea-level (Carter, W.E., Robertson, D.S., Pyle, T.E., Diamante, J.), **87**, 3
North Atlantic sea-level and circulation (Thompson, K.R.), **87**, 15
Low-frequency sea-level fluctuations along the coasts of Namibia and South Africa (de Cuevas, B.A., Brundrit, G.B., Shipley, A.M.), **87**, 33
Long-period variations of sea-level in Australasia (Pariwono, J.I., Bye, J.A.T., Lennon, G.W.), **87**, 43
Linear correlations between Florida Current volume transport and surface speed with Miami sea-level and weather during 1964–70 (Maul, G.A.), **87**, 55
On mean sea-level along the Brazilian coast (de Mesquita, A.R., Franco, A.S., Harari, J.), **87**, 67
Summary papers, **87**, 117
Another look at North Sea pole tide dynamics (Dickman, S.R., Preisig, J.R.), **87**, 295
Dynamics of the North Sea pole tide reconsidered (Wunsch, C.), **87**, 869

Palaeomagnetic instrumentation

Short-term viscous effects on measurements of remanance (Xu, T.C., Tarling, D.H., Eustance, N.B., Hijab, B.R.), **87**, 305

Palaeomagnetism

A theoretical and experimental comparison of the anisotropies of magnetic susceptibility and remanence in rocks and minerals (Stephenson, A., Sadikun, S., Potter, D.K.), **84**, 185
The palaeomagnetism and magnetic fabric of sediments from Peak Cavern, Derbyshire (Noel, M.), **84**, 445
Estimation of the Bingham distribution function on nearly two-dimentional data sets (Gillett, S.L.), **84**, 641
Directions of anhysteretic and rotational remanent magnetizations in rotating samples (Edwards, J.), **85**, 209
Palaeomagnetism and radiometric dating of the British Tertiary Igneous Province: Muck and Eigg (Dagley, P., Mussett, A.E.), **85**, 221
Demagnetization of viscous moments (Williams, W., Walton, D.), **85**, 453
Palaeomagnetism of the Ordovician Moulin de Chateaupanne formation, Vendee, Western France (Perroud, H., Bonhommet, N., Thebault, J.P.), **85**, 573
An anomalous detrital sediment magnetization (Noel, M.), **85**, 645
Palaeomagnetism of a core sediment from the Inland Sea, Japan (Seto Naikai) (Hyodo, M., Yaskawa, K.), **86**, 41
Palaeomagnetism of the Pennian volcanic rocks of Moissey (French Jura): implications for the palaeofield and tectonic evolution (Thompson, J.F.C., Guillaume, A., Daly, L.), **86**, 103
Contribution of domain rotation to the magnetic susceptibility of spherical two-domain particles of magnetite (Veitch, R.J.), **86**, 229
Late Mesozoic and Cenozoic palaeomagnetism of Australia – III. Bias-corrected pole paths for Australia, Antarctica and India (Idnurm, M.), **86**, 277
Curie temperature analyses of Upper Jurassic and Lower Cretaceous pelagic limestones (Galbrun, B., Butler, R.F.) **86**, 885
A preliminary palaeomagnetic study of the Holocene and late Wurmian sediments of Lac du Bouchet (Haute-Loire, France) (Creer, K.M., Smith, G., Tucholka, P., Bonifay, E., Thouveny, N., Truze, E.), **86**, 943
The accumulation of palaeomagnetic results from multicomponent analyses (McFadden, P.L., Schmidt, P.W.), **86**, 965
Palaeomagnetism and K-Ar dating of Lower Carboniferous dolerite dykes from northern Brittany (Perroud, H., Auvray, B., Bonhommet, N., Macé, J., Van der Voo, R.), **87**, 143
A palaeomagnetic investigation of a Permian redbed sequence from a mining drill core (Evans, M.E., Maillol, J.M.), **87**, 411
A palaeomagnetic study of Devonian sandstone from Central Spitsbergen (Jeleńska, M., Lewandowski, M.), **87**, 617
The importance of gyromagnetic remanence in alternating field demagnetization. Some new data and experiments on G.R.M. and R.R.M. (Roperch, P., Taylor, G.K.), **87**, 949
A palaeomagnetic secular-variation record from *c.* 120 000 yr-old New Zealand cave sediments (Turner, G.M., Lyons, R.G.), **87**, 1181

Reappraisal of Scottish Ordovician palaeomagnetism (Storetvedt, K.M., Deutsch, E.R.), **87**, 1193
Reappraisal of Scottish Ordovician palaeomagnetism: Reply to Storetvedt and Deutsch (Briden, J.C., Turnell, H.B., Watts, D.R.), **87**, 1207

Permian

Palaeomagnetism of the Permian volcanic rocks of Moissey (French Jura): implications for the palaeofield and tectonic evolution (Thompson, J.F.C., Guillaume, A., Daly, L.), **86**, 103

Plate tectonics

Numerical study of continental collision: influence of buoyancy forces and an initial stiff inclusion (Vilotte, J.P., Madariaga, R., Daignières, M., Zienkiewicz, O.), **84**, 279
Spatial seismicity variations along convergent plate boundaries (Habermann, R.E., McCann, W.R., Perin, B.), **85**, 43
Anomalous high-frequency wave propagation from the Tonga–Kermadec seismic zone to New Zealand (Ansell, J.H., Gubbins, D.), **85**, 93
Comments on: 'Thick-plate flexure re-examined' by Detlef Wolf (Comer, R.P.), **85**, 467
Reply to comments by Robert P. Comer (Wolf, D.), **85**, 469
Comparison of the upper mantle shear wave velocity structure of the Indian Shield and the Tibetan Plateau and tectonic implications (Lyon-Caen, H.), **86**, 727
Upper mantle velocity structure estimated from *PS* - converted wave beneath the north-eastern Japan Arc (Matsuzawa, T., Umino, N., Hasegawa, A., Takagi, A.), **86**, 767

Point source response

Finite integral solution for the point source response of a layered acoustic medium (Tygel, M., Hubral, P.), **84**, 647

Porosity and diffusion

On flow of a heat conducting fluid through a porous medium (Jacobs, S.J.), **87**, 275

***P*-wave amplitudes**

An analysis of *P*-wave amplitudes recorded by seismological stations in the USSR (Marshall, P.D., Bingham, J., Young, J.B.), **84**, 71

Quaternary

The palaeomagnetism and magnetic fabric of sediments from Peak Cavern, Derbyshire (Noel, M.), **84**, 445

Radar methods

The application of geodetic radio interferometric surveying to the monitoring of sea-level (Carter, W.E., Robertson, D.S., Pyle, T.E., Diamante, J.), **87**, 3

Rayleigh waves

Propagation of 0.7 Hz Rayleigh waves in Scotland (Macbeth, C.D., Burton, P.W.), **84**, 101
Extended formulation for Rayleigh-wave computations at high frequencies in a spherical layered earth (Bhattacharya, S.N.), **84**, 311

Refraction

A seismic refraction survey in the Kerquelen Isles, southern Indian Ocean (Recq, M., Charvis, P.), **84**, 529

RRM

Directions of anhysteretic and rotational remanent magnetizations in rotating samples (Edwards, J.), **85**, 209

Satellite altimetry

Extraction of the M2 ocean tide from *SEASAT* altimeter data (Woodworth, P.L., Cartwright, D.E.), **84**, 227

Sea level

Sea-level variations (Cartwright, D.E.), **87**, 1
North Atlantic sea-level and circulation (Thompson, K.R.), **87**, 15
Low-frequency sea-level fluctuations along the coasts of Namibia and South Africa (de Cuevas, B.A., Brundrit, G.B., Shipley, A.M.), **87**, 33
Long-period variations of sea-level in Australasia (Pariwono, J.I., Bye, J.A.T., Lennon, G.W.), **87**, 43
Linear correlations between Florida Current volume transport and surface speed with Miami sea-level and weather during 1964–70 (Maul, G.A.), **87**, 55
On mean sea-level along the Brazilian coast (de Mesquita, A.R., Franco, A.S., Harari, J.), **87**, 67
Summary papers, **87**, 117

Secular variation

Motions at the core surface derived from *SV* , data (Gire, C., Le Mouël, J.L. Madden, T.), **84**, 1
Geomagnetic field analysis – IV. Testing the frozen-flux hypothesis (Bloxham, J., Gubbins, D.), **84**, 139

Sedimentary basins

Modelling of sedimentary basins from gravity anomalies with variable density contrast (Rao, D.B.), **84**, 207

Seismicity

Spatial seismicity variations along convergent plate boundaries (Habermann, R.E., McCann, W.R., Perin, B.), **85**, 43
Evidence for precursory changes in the frequency–magnitude *b*-value (Smith, W.D.), **86**, 815
Seismicity, structure and tectonics of the Wellington region, New Zealand (Robinson, R.), **87**, 379

Seismic methods and surveys

Crustal structure of Atlantic fracture zones – III. The Tydeman fracture zone (Potts, C.G., Calvert, A.J., White, R.S.), **86**, 909

Seismic source theory

Radiation patterns for explosively-loaded axisymmetric cavities in an elastic medium: analytic approximations and numerical results (Rial, J.A., Moran, B.), **86**, 855

Seismic surveys

Crustal structure of Atlantic fracture zones – I. The Charlie-Gibbs Fracture Zone (Whitmarsh, R.B., Calvert, A.J.), **85**, 107
A seismic refraction experiment in the Tyrrhenian Sea (Duschenes, J., Sinha, M.C., Louden, K.E.), **85**, 139

Seismology

Matrix Green's functions for array-type sources and receivers in multiwave layered media (Lu., I.T., Felsen, L.B.), **84**, 30
The Backus–Gilbert approach to the 3-D structure in the upper mantle – II. *SH* and *SV* velocity (Tanimoto, T.), **84**, 49
An analysis of *P* -wave amplitudes recorded by seismological stations in the USSR (Marshall, P.D., Bingham, J., Young, J.B.), **84**, 71
Propagation of 0.7 Hz Rayleigh waves in Scotland (Macbeth, C.D., Burton, P.W.), **84**, 101
The 1984 July 19 North Wales earthquake – a lower crustal continental event indicating brittle behaviour at an unusual depth (Ansell, J., Aspinall, W., King, G., Westaway, R.), **84**, 201
An explanation for USGS Station 6 record, 1979 Imperial Valley earthquake: a caustic induced by a sedimentary wedge (Raily, J.A., Pereyra, V., Wojcik, G.L.), **84**, 257
Extended formulation for Rayleigh-wave computations at high frequencies in a spherical layered earth (Bhattacharya, S.N.), **84**, 311
Efficient global matrix approach to the computation of synthetic seismograms (Schmidt, H., Tango, G.), **84**, 334
Source mechanisms of the Mogod earthquake sequence of 1967 and the event of 1974 July 4 in Mongolia (Huang, J., Chen, W.-P.), **84**, 361
High velocities and seismic anisotropy in Pleistocene turbidites off Western Canada (Davis, E.E., Clowes, R.M.), **84**, 381
Shear-wave polarizations in the Peter the First Range indicating crack-induced anisotropy in a thrust-fault regime (Crampin, S., Booth, D.C., Krasnova, M.A., Chesnokov, E.M., Maximov, A.B., Tarasov, T.), **84**, 401
Linear programming approach to moment tensor inversion of earthquake sources and some tests on the three-dimensional structure of the upper mantle (Tanimoto, T., Kanamori, H.), **84**, 413
Analysing seismic-source mechanisms by linear-programming methods (Julian, B.R.), **84**, 431
The 1982 COCRUST seismic experiment across the Ottawa–Bonnechere graben and Grenville Front in Ontario and Quebec (Mereu, R.F., Wang, D., Kunn, O., Forsyth, D.A., Green, A.G., Morel, P., Buchbinder, G.G.R., Crossley, D., Schwarz, E., duBerger, R., Brooks, C., Clowes, R.), **84**, 491
Love mode dispersion across subduction zones by finite element modelling (Bolt, B.A., Drake, L.A.), **84**, 515
A seismic refraction survey in the Kerquelen Isles, southern Indian Ocean (Recq, M., Charvis, P.), **84**, 529
3-D linearized scattering of surface waves and a formalism for surface wave holography (Snieder, R.), **84**, 581
The effect of random velocity functions on the travel times and amplitudes of seismic waves (Ojo, S.B., Mereu, R.F.), **84**, 607
Finite integral solution for the point source response of a layered acoustic medium (Tygel, M., Hubral, P.), **84**, 647
Validity of the great circular average approximation for inversion of normal mode measurements (Davis, J.P., Henson, I.H.), **85**, 69
Anomalous high-frequency wave propagation from the

Tonga–Kermadec seismic zone to New Zealand (Ansell, J.H., Gubbins, D.), **85**, 93
About the influence of pre-stress upon adiabatic perturbations of the Earth (Valette, B.), **85**, 179
The accuracy of models derived by WKBJ waveform inversion (Shaw, P.R.), **85**, 291
Generalized Born inversion of seismic reflection data (Foster, D.J., Carrion, P.M.), **85**, 329
Some useful approximations to generalized ray theory for regional distance seismograms (Wallace, T.C.), **85**, 349
Gaussian beams in anisotropic elastic media (Hanyga, A.), **85**, 473
High-frequency *P*-wave attenuation along five teleseismic paths from central Asia (Bache, T.C., Bratt, S.R., Bungum, H.), **85**, 505
Reflection and transmission at an interface separating transversely inhomogeneous acoustic half-spaces (McCoy, J.J., Fishman, L., Frazer, L.N.), **85**, 543
Static spheroidal deformation of degree 1 – consistency relation, stress solution and partials (Okubo S., Endo, T.), **86**, 91
Lateral variations in mantle *P* velocity from tectonically regionalized tau estimates (Tralli, D.M., Johnson, L.R.), **86**, 475
Comparison of the upper mantle shear wave velocity structure of the Indian Shield and the Tibetan Plateau and tectonic implications (Lyon-Caen, H.), **86**, 727
A telesesmic delay time study across the Central African Shear Zone in the Adamawa region of Cameroon, West Africa (Dorbath, C., Dorbath, L., Fairhead, J.D., Stuart, G.W.), **86**, 751
Upper mantle velocity structure estimated from *PS* - converted wave beneath the north-eastern Japan Arc (Matsuzawa, T., Umino, N., Hasegawa, A., Takagi, A.), **86**, 767
The relationship between seismic velocity and density in the continental crust – a useful constraint? (Barton, P.J.), **87**, 195
End-point contributions to synthetic seismograms (Thomson, C.J., Chapman, C.H.), **87**, 285
Amplitude, phase and path anomalies of mantle waves (Woodhouse, J.H., Wong, Y.K.), **87**, 753
Edge effects in cylindrical slant stacks (Brysk, H., McCowan, D.W.), **87**, 801
Compressional and shear wave anisotropy in the oceanic lithosphere – the Ngendei seismic refraction experiment (Shearer, P.M., Orcutt, J.A.), **87**, 967
A new non-linear least squares algorithm for the seismic inversion problem (Wright, S.J., Holt, J.N.), **87**, 1041
Frequency dependence of Q in the mantle underlying the shield areas of Eurasia, Part I: analyses of short and intermediate period data (Der, Z.A., Lees, C., Cormier, V.F., Anderson, L.M.), **87**, 1057
Frequency dependence of Q in the mantle underlying the shield areas of Eurasia, Part II: analyses of long period data (Lees, A.C., Der, Z.A., Cormier, V.F., Marshall, M.E., Bumetti, J.A.), **87**, 1085
Frequency dependence of Q in the mantle underlying the shield areas of Eurasia, Part III: The Q model (Der, Z.A., Lees, A.C., Cormier, V.F.), **87**, 1103

SII and SV velocities

The Backus–Gilbert approach to the 3-D structure in the upper mantle – II. *SH* and *SV* velocity (Tanimoto, T.), **84**, 49

Source mechanisms

Analysing seismic-source mechanisms by linear-programming methods (Julian, B.R.), **84**, 431

Source and receiver arrays

Matrix Green's functions for array-type sources and receivers in multiwave layered media (Lu., I.T., Felsen, L.B.), **84**, 30

Statistical methods

Estimating confidence intervals for the gain and phase of frequency response functions (Walden, A.T.), **87**, 519

Statistics

Robust tests for comparing the dispersions of several Fisher or Watson distributions on the sphere (Fisher, N.I.), **85**, 563

Structure

Propagation of 0.7 Hz Rayleigh waves in Scotland (Macbeth, C.D., Burton, P.W.), **84**, 101

Subduction zones

Love mode dispersion across subduction zones by finite element modelling (Bolt, B.A., Drake, L.A.), **84**, 515

Surface dynamics of the Earth

Seismological evidence for shallow thrusting north of the Timor trough (McCaffrey, R., Nábělek, J.), **85**, 365
Mantle flow and plate motions (Harper, J.F.), **87**, 155
Seismicity, structure and tectonics of the Wellington region, New Zealand (Robinson, R.),

Wellington region, New Zealand (Robinson, R.), **87**, 379
Variations in subsidence rates along intermediate and fast spreading mid-ocean ridges (Cochran, J.R.), **87**, 421

Surface wave holography

3-D linearized scattering of surface waves and a formalism for surface wave holography (Snieder, R.), **84**, 581

Surface waves

A coupled mode examination of irregular waveguides including the continuum spectrum (Odom, R.I.), **86**, 425

Synthetic seismograms

Efficient global matrix approach to the computation of synthetic seismograms (Schmidt, H., Tango, G.), **84**, 334
A hybrid collocation method for calculating complete theoretical seismograms in vertically varying media (Ascher, U., Spudich, P.), **86**, 19
Limitations of waveform modelling of long-period seismograms (Ingate, S.F., Ha, J., Muirhead, K.J.), **86**, 57
End-point contributions to synthetic seismograms (Thomson, C.J., Chapman, C.H.), **87**, 285

USSR

An analysis of *P*-wave amplitudes recorded by seismological stations in the USSR (Marshall, P.D., Bingham, J., Young, J.B.), **84**, 71

Viscosity

Post-glacial rebound and transient lower mantle rheology (Peltier, W.R., Drummond, R.A., Tushingham, A.M.), **87**, 79
Mantle flow and plate motions (Harper, J.F.), **87**, 155

Wales

The 1984 July 19 North Wales earthquake – a lower crustal continental event indicating brittle behaviour at an unusual depth (Ansell, J., Aspinall, W., King, G., Westaway, R.), **84**, 201

Wave theory

Propagation modelling based on wavefield factorization and invariant imbedding (McCoy, J.J., Frazer, L.N.), **86**, 703

Well logging

Stabilization of bottom hole temperature with finite circulation time and fluid flow (Shen, P.Y., Beck, A.E.), **86**, 63